

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	382	(display).ab. and ((electrode cathode) with (emitter (electron adj source)) with (bond\$3 bind\$3 mix\$3 glass frit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:59
L6	288	5 and @ad<"20030221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:58
L7	13	(display adj device).ti. and ((electrode cathode) with (emitter (electron adj source)) with (silver gold))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:58
L8	34	(display).ab. and ((electrode cathode) with (emitter (electron adj source)) with (silver gold))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:58
L9	24	L8 not L7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:58
L10	15	("5911616" "5942841" "6019656" "6057637" "6062931" "6235545" "6250984" "6339281" "6406926" "6472802" "6486599" "6498426" "6514113" "6537122").PN. OR ("6672926").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/20 13:58
L11	277	6 not L7 not L9 not L10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:58
L12	24	(display).ab. and ((electrode cathode) with (emitter (electron adj source)) with (bond\$3 bind\$3 mix\$3) with (glass frit insulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:59

L13	22	12 not 7 not 9 not 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 14:17
L14	2	"6250984".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 14:28
L15	0	(substrate same cathode same ((electron adj source) emitter emiss\$3) same ((gate control) with electrode) same (sealing adj material)) and @ad<"20030221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 14:30
L16	486	(substrate and cathode and ((electron adj source) emitter emiss\$3) and ((gate control) with electrode) and (sealing adj material)) and @ad<"20030221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 14:31
L17	297	(substrate and cathode and ((electron adj source) emitter emiss\$3) and ((gate control) with electrode) and (sealing adj material)) and @ad<"20020221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 14:32
L18	836	(field adj emission adj device).ti. and @ad<"20020221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 14:33
L19	7	18 and (substrate and cathode and (sealing adj material))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 15:15
L20	2	"6855376".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 15:19

L21	795	(field with (emit\$4 emiss\$4)) and (silver with particle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 15:21
L22	164	(field with (emit\$4 emiss\$4)) and ((silver with particle with (resin binder)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 15:22
L23	99	22 and @ad<"20030221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 16:56
L24	493	(display).ab. and ((surface near3 substrate) with (rough uneven sawtooth)) and @ad<"20030221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 16:58
L25	1513	(display device).ab. and ((surface near3 substrate) with (rough uneven sawtooth)) and @ad<"20030221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 16:58
L26	192	(display adj device).ab. and ((surface near3 substrate) with (rough uneven sawtooth)) and @ad<"20030221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 17:54
L27	0	(display adj device).ab. and ((surface near3 substrate) with (rough uneven sawtooth) with ((strong strength) with adher\$4)) and @ad<"20030221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 17:57
L28	0	(display adj device).ab. and (((surface near3 substrate) with (rough uneven sawtooth)) same ((strong strength) with adher\$4)) and @ad<"20030221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 17:58

L29	0	(display adj device) and (((surface near3 substrate) with (rough uneven sawtooth)) same ((strong strength) with adher\$4)) and @ad<"20030221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 17:58
L30	23	(display adj device) and (((substrate) with (rough uneven sawtooth)) same ((strong strength) with adher\$4)) and @ad<"20030221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 17:59
L31	13	(((surface near3 substrate) with (rough uneven sawtooth)) same ((strong strength) with adher\$4)) and @ad<"20030221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 18:00
S1	2	("20040164665").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:43
S2	2440	(313/495-497).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:43
S3	758	S2 and (electron adj source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 16:44
S4	419	S2 and ((electron adj source) with (material composit\$3 conduct\$3 insulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 16:46
S5	356	S2 and ((electron adj source) with ((material composit\$3 conduct\$3 insulat\$3) and (electrode cathode)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 17:04

S6	259	S5 and @ad<"20030221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 17:54
S8	2440	(313/495-497).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/20 09:48
S9	855	S8 and (((electron adj source) emitter) with (cathode electrode) with (bond\$3 print\$3 adher\$3 etch\$3 form\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 10:07
S10	3	(display adj device).ti. and ((electrode cathode) with (emitter (electron adj source)) with (silver gold) with particle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 10:11
S11	13	(display adj device).ti. and ((electrode cathode) with (emitter (electron adj source)) with (silver gold))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 10:15
S12	34	(display).ab. and ((electrode cathode) with (emitter (electron adj source)) with (silver gold))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:56
S13	24	S12 not S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 10:16
S14	15	("5911616" "5942841" "6019656" "6057637" "6062931" "6235545" "6250984" "6339281" "6406926" "6472802" "6486599" "6498426" "6514113" "6537122").PN. OR ("6672926").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/20 10:46